

TRANSPORT TROLLEYS

Ready for all transport tasks.

In the professional kitchen and in the catering industry, a lot has to be moved back and forth. And our transport trolleys are great at doing exactly that. Regardless of which requirements apply, we have the right answer with our extremely diverse product line. You see a few examples here.



Ladle trolleys

Always ready for cooking spoons, stirrers or utensils.



The basket trolley: The most common sizes fit on the basket transport trolley and can be stacked safely on the platform.



The trolley for everyday use: the storage and garbage container is always there, where it's needed.



Platform trolleys

For universal use with heavy stacked items.

Transport trolleys

Spice trolleys	124
Ladle trolleys	124
Plate trolleys	124
Cutlery soaking trolleys	125
Platform trolleys	125
Basket transport trolleys	126
Potato and vegetable washing trolleys	126
Cutlery and tray trolleys	127
Storage/garbage containers	128
Storage trolleys	128
Rolling stools	128
All-purpose trolleys	128
Accessories for transport trolleys	129



The trolley for refined tastes: With the spice trolley spices, oil and vinegar can be moved safely from one place to another.



Cutlery and tray trolleys:
Perfectly organized – Cutlery on top, trays on the bottom.

Transport trolleys

- Stainless steel
- * Synthetic castors corrosion-resistant in compliance with DIN 18867-8



Spice trolleys and accessories

Illustration	Model	Dimensions L x W x H (mm)	Weight/ load cap. (kg)	Castors 125 mm dia.	Order no. (basic model)	Price in € w/o VAT
	GWL 8 x 6 Spice trolley, closed model, incl. all equipment: 3 spice container GWB 1/6-150, 4 spice jars, 3 tilt drawer surfaces incl. synthetic containers, spice drawers with telescopic slides, rear railings with space for 8 spice jars	865 x 675 x 985 mm	54.0 kg	4 steering castors, 2 of them with brakes		
				synthetic *	572 358 (295 195)	
				galvanised steel	565 770 (295 195)	
	GW 8 x 5-2 Spice trolley, capacity: 8 spice jars, 8 spice containers GWB 1/6-150 (contents not included in scope of delivery)	900 x 600 x 950 mm	21.0 kg	4 steering castors, 2 of them with brakes		
				synthetic *	569 790 (295 196)	
				galvanised steel	550 008 (295 196)	

Ladle trolley

	LW 8 x 5-2 Ladle trolley with 11 differently sized, round cut-outs in upper shelf for holding large ladles, whisks, etc., including railing on both sides for hooking in small parts, including additional hanging rail for spoons, meat forks, etc.	900 x 600 x 950 mm	19.0 kg	4 steering castors, 2 of them with brakes		
				synthetic *	569 791 (295 197)	
				galvanised steel	565 775 (295 197)	

Plate trolley


	TWH 1 Plate trolley, completely of stainless steel, including 2 hook-in wire dividers for adjusting to the respective plate size, accessible from 1 side, with slide-down tilt-protection, suitable for plates with a max. dia. of 26 cm, capacity: approx. 150 plates	984 x 439 x 755 mm	13.0 kg 120 kg	4 steering castors, 2 of them with brakes synthetic *	564 356	
--	---	--------------------	-------------------	--	----------------	--

Transport trolleys



- Stainless steel
- * Synthetic castors corrosion-resistant in compliance with DIN 18867-8



Cutlery soaking trolley

Illustration	Model	Dimensions L x W x H (mm)	Weight/ load cap. (kg)	Castors 125 mm dia.	Order no. (basic model)	Price in € w/o VAT
	BTW 9 x 7 Cutlery soaking trolley heated (+30 °C to +85 °C), capacity: approx. 70 l , stowable connected load: 220–240 V/50-60 Hz/1.4 kW	936 x 714 x 623 mm Inside dimensions: 630 x 510 x 220 mm	30 kg	4 steering castors, 2 of them with brakes synthetic *	573 964 (375 941)	

Platform trolleys

	PFWS 8 x 5 Platform trolley with all-round profile edge, platform size: 800 x 500 mm	901 x 601 x 900 mm Platform height: 300 mm	12.0 kg 120.0 kg	2 fixed castors, 2 steering castors with brakes		
				synthetic *	574 932 (383 484)	
				galvanised steel	574 933 (383 484)	
	PFWP 10 x 6 Platform trolley with all-round profile edge, platform size: 1020 x 620 mm	1098 x 698 x 941 mm Platform height: 252 mm	24.0 kg 400.0 kg	2 fixed castors, 2 steering castors with brakes, 160 mm dia. galvanised steel	572 336 (364 499)	
	BTT 8 x 6 Platform trolley smooth surface, platform size: 500 x 700 mm	605 x 780 x 840 mm Platform height: 230 mm	11.0 kg 100.0 kg	4 steering castors, 2 of them with brakes		
				synthetic *	572 329 (364 501)	
				galvanised steel	572 330 (364 501)	
	BTT 10 x 8 Platform trolley smooth surface, platform size: 940 x 700 mm	1045 x 780 x 840 mm Platform height: 230 mm	20.0 kg 250.0 kg	2 fixed castors, 2 steering castors with brakes		
				synthetic *	572 327 (364 498)	
				galvanised steel	572 328 (364 498)	

Transport trolleys

- Stainless steel
- * Synthetic castors corrosion-resistant in compliance with DIN 18867-8



Basket transport trolleys

Illustration	Model	Dimensions L x W x H (mm)	Weight/ load cap. (kg)	Castors 125 mm dia.	Order no. (basic model)	Price in € w/o VAT
	KWT 5 x 6 Basket transport trolley, suitable for dishes baskets 500 x 500 mm or 508 x 508 mm	660 x 580 x 900 mm Platform height: 275 mm	10.0 kg 200.0 kg	4 steering castors, 2 of them with brakes		
				synthetic *	572 331 (364 491)	
	KWT 5 x 7 Basket transport trolley, suitable for dishes baskets 650 x 530 mm	810 x 610 x 900 mm Platform height: 275 mm	11.0 kg 200.0 kg	4 steering castors, 2 of them with brakes		
				synthetic *	572 333 (364 492)	
				galvanised steel	572 332 (364 491)	
				galvanised steel	572 334 (364 492)	

Potato and vegetable washing trolleys

	KWA 100 Potato and vegetable washing trolley, Gastronorm-compatible, suitable for 2 x G-KEN G 1/1-195 cooking inserts, capacity: approx. 100 l	810 x 620 x 465 mm Inside dimensions: 750 x 560 x 300 mm	17.0 kg	4 steering castors, 2 of them with brakes		
				synthetic *	572 363 (295 200)	
	KWA 160 Potato and vegetable washing trolley, Gastronorm-compatible, suitable for 4 x G-KEN G 1/1-195 cooking inserts, capacity: approx. 160 l	810 x 620 x 555 mm Inside dimensions: 750 x 560 x 390 mm	19.0 kg	4 steering castors, 2 of them with brakes		
				synthetic *	572 364 (295 201)	
				galvanised steel	565 768 (295 200)	
				galvanised steel	555 809 (295 201)	
	KWAF 100 Potato and vegetable washing trolley, Gastronorm-compatible, suitable for 2 x G-KEN G 1/1-195 cooking inserts, capacity: approx. 100 l	810 x 620 x 750 mm Inside dimensions: 750 x 560 x 300 mm	18.5 kg	4 steering castors, 2 of them with brakes		
				synthetic *	572 365 (295 202)	
	KWAF 160 Potato and vegetable washing trolley, Gastronorm-compatible, suitable for 4 x G-KEN G 1/1-195 cooking inserts, capacity: approx. 160 l	810 x 620 x 750 mm Inside dimensions: 750 x 560 x 390 mm	21.5 kg	4 steering castors, 2 of them with brakes		
				synthetic *	572 366 (295 203)	
				galvanised steel	565 766 (295 202)	
				galvanised steel	565 767 (295 203)	

Transport trolleys

- Stainless steel
- * Synthetic castors corrosion-resistant in compliance with DIN 18867-8



Cutlery and tray trolleys

Illustration	Model	Dimensions L x W x H (mm) Capacity	Weight/ load cap. (kg)	Castors 125 mm dia.	Order no. (basic model)	Price in € w/o VAT	
	BT 400 Cutlery and tray trolley, incl. 5 cutlery containers, size GN 1/4-150 of stainless steel with transparent, Plexiglas half-flap cover and 1 napkin dispenser of stainless steel, for 125 x 90 mm napkins	900 x 600 x 1270 mm approx. 120 trays and approx. 500 pieces of cutlery Shelf dimensions: 775 x 521 mm	24.0 kg	4 steering castors, 2 of them with brakes			
				synthetic *	572 361 (295 198)		
					galvanised steel	566 316 (295 198)	
	Design as model above but at a reduced height for children's catering	900 x 600 x 1060 mm approx. 70 trays and approx. 500 pieces of cutlery Shelf dimensions: 775 x 521 mm			synthetic *	574 832 (295 198)	
					galvanised steel	574 833 (295 198)	
		BT 400 Cutlery and tray trolley, incl. 5 cutlery containers, size GN 1/4-150 of stainless steel with transparent, Plexiglas half-flap cover	900 x 600 x 1270 mm approx. 120 trays and approx. 500 pieces of cutlery Shelf dimensions: 775 x 521 mm	21.0 kg	4 steering castors, 2 of them with brakes		
				synthetic *	573 414 (295 198)		
				galvanised steel	573 415 (295 198)		
	BT 800 Cutlery and tray trolley, incl. 10 cutlery containers, size GN 1/4-150 of stainless steel with transparent, Plexiglas half-flap cover and 2 napkin dispensers of stainless steel, for 125 x 90 mm napkins	900 x 600 x 1485 mm approx. 120 trays and approx. 1100 pieces of cutlery Shelf dimensions: 775 x 521 mm	41.0 kg	4 steering castors, 2 of them with brakes			
				synthetic *	572 362 (295 199)		
					galvanised steel	566 315 (295 199)	
	Design as model above but at a reduced height for children's catering	900 x 600 x 1060 mm approx. 70 trays and approx. 500 pieces of cutlery Shelf dimensions: 775 x 521 mm			synthetic *	574 834 (295 198)	
					galvanised steel	574 835 (295 198)	
		BT 800 Cutlery and tray trolley, incl. 10 cutlery containers, size GN 1/4-150 of stainless steel with transparent, Plexiglas half-flap cover	900 x 600 x 1485 mm approx. 120 trays and approx. 1100 pieces of cutlery Shelf dimensions: 775 x 521 mm	35.0 kg	4 steering castors, 2 of them with brakes		
				synthetic *	573 416 (295 199)		
				galvanised steel	573 417 (295 199)		
All BT 800s also available in a Kids design with a total height of 1280 mm						on request	


The underlined models are available for delivery within 72 hours in commercially available volumes and standard packaging (subject to prior sale).

Transport trolleys


- Stainless steel




Storage/garbage containers and accessories

Illustration	Model	Dimensions L x W x H (mm)	Weight/ load cap. (kg)	Castors 75 mm dia.	Order no. (basic model)	Price in € w/o VAT
	VBR 400 Storage and garbage container, capacity: 50 l	400 mm dia. x 390 mm	8.5 kg		565 909	
	D 400 Lid with hanging device for hooking in the lid on the container edge or on the handles	430 mm dia.	2.0 kg		565 910	
	FUS 400 Transport frame	Height: 100 mm	2.0 kg	4 steering castors, galvanised steel	572 367	
	VBR 400 K Complete container, incl. lid and transport frame	430 mm dia. x 495 mm	12.5 kg	4 steering castors, galvanised steel	565 913	



Storage trolley

	VB 75 Storage trolley including a removable hinged, half-flap lid, capacity: 75 l (recommended) 90 l (at maximum fill level)	610 x 400 x 640 mm	13.0 kg	4 steering castors, 2 of them with brakes, galvanised steel	564 882	
--	--	--------------------	---------	---	----------------	--

Rolling stool



	ROHO 5 x 5 Rolling stool with smooth top surface, turned down 30 mm all-round, additional cross strut	450 x 450 x 480 mm	6.5 kg 150.0 kg	4 steering castors, 2 of them with brakes, galvanised steel	572 370	
---	---	--------------------	--------------------	---	----------------	--

All-purpose trolleys


	AZWA 5 x 5 All-purpose trolley with 2 smooth support shelves and all-round profile edge Shelf dimensions: 505 x 505 mm Interior dimension between shelves: 450 mm Max. load per shelf: 40 kg	505 x 505 x 800 mm	8.0 kg 80.0 kg	4 antistatic steering castors	569 612	
	AZWA 8 x 5 All-purpose trolley with 2 smooth support shelves and all-round profile edge Shelf dimensions: 805 x 505 mm Interior dimension between shelves: 450 mm Max. load per shelf: 40 kg	805 x 505 x 800 mm	10.0 kg 80.0 kg	4 antistatic steering castors	569 613	

Accessories for transport trolleys


Spice container/jar

Illustration	Designation	For model	Order no. (basic model)	Price in € w/o VAT
<p>Spice container GWB 1/6-150</p> 	<p>Spice container GWB 1/6-150 of stainless steel with folding Plexiglas lid</p>	<p>GWL 8 x 6, GW 8 x 5-2 (Spice trolley)</p>	<p>550 501</p>	
<p>Spice jar</p> 	<p>Spice jar synthetic round, 100 mm dia., 180 mm high, with hinged spout</p>	<p>GWL 8 x 6, GW 8 x 5-2 (Spice trolley)</p>	<p>145 423</p>	


Gastronorm cooking insert

<p>G-KEN G 1/1-195</p> 	<p>Gastronorm cooking insert G-KEN G 1/1-195 Depth: 195 mm</p>	<p>All KWA and KWAf (Potato and vegetable washing trolley)</p>	<p>550 973</p>	
---	--	--	-----------------------	--

Additional shelf

<p>not shown</p>	<p>Additional shelf for BT 400 cutlery and tray trolley</p>	<p>BT 400 (Cutlery and tray trolley)</p>		
------------------	--	--	---	--

Cutlery container

<p>Cutlery container</p> 	<p>Cutlery container of stainless steel, GN 1/4-150 with angled base and hinged half-flap Plexiglas lid for use in trolleys and free-standing Dimensions (L x W x H): 265 x 162 x 150 mm</p>	<p>BT 400/800 (Cutlery and tray trolley)</p>	<p>565 786</p>	
--	---	--	-----------------------	--